




Overview of elements 2020

Base units


Carcase depth: 561 mm
Carcase height: 720 mm
Plinth height: 70, 100, 150 or 200 mm

Base units




717
UD 20/30/40/45/50/60 cm

Base unit
1 continuous door,
1 shelf




141
573
U 20/30/40/45/50/60 cm

Base unit
1 pinned door,
1 shelf




717
UD 80/90/100/120 cm

Base unit
2 continuous doors,
1 shelf




141
573
U 80/90/100/120 cm

Base unit
2 pinned doors,
1 shelf




141
573
US 30/40/45/50/60 cm

Base unit
1 drawer,
1 door,
1 shelf




141
573
US 80/90/100/120 cm

Base unit
2 drawers,
2 doors,
1 shelf



141
573
USG 80/90/100/120 cm

Base unit
1 drawer,
2 doors,
1 shelf




141
285
285
UA 30/40/45/50/60/80/90/100/120 cm

Pull-out unit
1 drawer,
2 pull-outs




141
141
141
285
U3SA 30/40/45/50/60/80/90/100/120 cm

Drawer unit
3 drawers,
1 pull-out



717
UAMD 20/30 cm


Pull-out unit
1 pull-out,
1 continuous front,
2 hanging baskets with
wooden bottoms



UR 15/20/30/40/45/50/60 cm


Open shelf base unit
2 fixed shelves,
side depth: 575 mm

Corner base units




717
UDTE 80/90 cm

Corner base unit
2 continuous doors,
opening angle: 165°,
1 shelf




141
573
UTE 80/90 cm

Corner base unit
2 pinned doors,
opening angle: 165°,
1 shelf




717
UEDK 80/90 cm

**Corner base unit as
carousel unit**
2 continuous fronts,
carcase height: 750 mm,
1 revolving carousel with
2 wooden shelves and
metal railing, rotates 360°,
height adjustable top shelf




141
573
UEK 80/90 cm

**Corner base unit as
carousel unit**
2 pinned fronts,
carcase height: 750 mm,
1 revolving carousel with
2 wooden shelves and
metal railing, rotates 360°,
height adjustable top shelf



717
UED 80/90 cm


**Chamfered corner base
unit**
1 continuous door,
1 shelf



141
573
UE 80/90 cm


**Chamfered corner base
unit**
1 pinned door,
1 shelf

Half corner base units




717
UED90-40
UED90-45
UED100-50
UED100-60

Corner base unit
1 continuous door,
1 shelf, 1 angle filler
Carcase widths:
900, 1000 mm
Planning dimensions:
650 - 750 x ...
UED90-40...x 1050-1150 mm
UED90-45...x 1100-1200 mm
UED100-50...x 1150-1250 mm
UED100-60...x 1250-1350 mm




141
573
UE90-40
UE90-45
UE100-50
UE100-60

Corner base unit
1 drawer, 1 door,
1 shelf,
1 angle filler
Carcase widths:
900, 1000 mm
Planning dimensions:
650 - 750 x ...
UE90-40...x 1050-1150 mm
UE90-45...x 1100-1200 mm
UE100-50...x 1150-1250 mm
UE100-60...x 1250-1350 mm




717
UEDSA90-45
UEDSA100-50
UEDSA100-60

**Corner unit with
swivel pull-out**
1 continuous door,
2 tablar shelves
with metal railing,
height adjustable,
1 angle filler
Carcase widths:
900, 1000 mm
Planning dimensions:
650 - 750 x ...
UE*90-45...x 1100-1200 mm
UE*100-50...x 1150-1250 mm
UE*100-60...x 1250-1350 mm




141
573
UESA90-45
UESA100-50
UESA100-60

**Corner unit with
swivel pull-out**
1 drawer,
1 door,
2 wooden swivel tablars
with metal railing,
height adjustable,
1 angle filler
Carcase widths:
900, 1000 mm
Planning dimensions:
650 - 750 x ...
UE*90-45...x 1100-1200 mm
UE*100-50...x 1150-1250 mm
UE*100-60...x 1250-1350 mm



141
573
UESAV90-45
UESAV100-50
UESAV100-60

**Corner unit with
swivel pull-out**
1 pinned door,
2 tablar shelves with metal
railing, height adjustable,
1 angle filler
Carcase widths:
900, 1000 mm
Planning dimensions:
650 - 750 x ...
UE*90-45...x 1100-1200 mm
UE*100-50...x 1150-1250 mm
UE*100-60...x 1250-1350 mm




MP-GS

**Surcharge for
dishwasher recessed filler**
on fillers and half-corner
units, side panel made of
carcase material,
carcase depth: 561 mm

Base units

Carcase depth: 561 mm
Carcase height: 720 mm
Plinth height: 70, 100, 150 oder 200 mm

Angle fillers




UPE
UPE-V

Angle filler

Continuous front material,
70 x 70 mm, planning
dimensions: 650 x 650 mm


as above, however **variable**
from 50 to 170 mm, planning
dimensions: 630 - 750 mm
1st dimension = left /
2nd dimension = right



MP-GS

**Surcharge for
dishwasher recessed filler**
on fillers and half-corner
units, side panel made of
carcase material,
carcase depth: 561 mm


Fillers / Panelling



UPK 10/20 cm

Filler


Carcase material,
720 mm high,
U-shaped seal for
connection to wall
width: 100/200 mm



UPD 20 cm

Front filler


Continuous front material,
width: 200 mm



RK-72


Base unit back panel

16 mm thick,
720 mm high,
width: 250 - 2000 mm,
available in all carcase and
worktop décors from décor
group 1,
Vario clip fastening,
in case of reproduction
finishes vertical wood grain



RKS-72

as above, however,
continuous height,
including floor profile:
70 mm plinth height:
810 mm
100 mm plinth height:
840 mm
150 mm plinth height:
890 mm
200 mm plinth height:
940 mm




RFD-72

30/40/45/50/60/80/90 cm

Base unit back panel
1 continuous front design,
720 mm high,
Vario clip fastening,
without drill hole


Cooker housing



HU 60 cm

Cooker housing


1 fixed panel,
side sections: 177 mm deep,
aperture dimension: 591 mm



HUB 60 cm

Cooker housing


1 fixed panel,
aperture dimension: 598 mm



HUS 60 cm

Cooker housing

1 plastic drawer,
16 l capacity,
interior dimensions:
485 x 480 x 68 mm,
aperture dimension: 598 mm




HUG 60 cm

Cooker housing

1 large-capacity drawer with
second level for baking trays,
plastic, 30 l capacity,
interior dimensions:
480 x 380 x 150 mm,
aperture dimension: 598 mm


Hot plate units



K 60 cm

Hot plate unit

1 panel,
1 construction shelf for
heat insulation,
1 door,
1 shelf



KS 60 cm

Hot plate unit

1 drawer,
1 spacer shelf for hot plate,
1 door,
1 shelf



KS2A
60/80/90/100/120 cm

Hot plate unit

1 drawer,
1 spacer shelf for hot plate,
2 pull-outs




KD2A
60/80/90/100/120 cm

Hot plate unit

1 internal panel,
1 construction shelf for heat
insulation,
2 pull-outs


Sink units



SPUD 40/45/50/60 cm

Sink base unit


1 internal panel,
1 continuous door



SPU 40/45/50/60 cm

Sink base unit


1 fixed panel,
1 door



SPUD 80/90/100/120 cm

Sink base unit


2 internal panels,
2 continuous doors



SPU 80/90/100/120 cm

Sink base unit

2 fixed panels,
2 doors



SPUAD
40/45/50/60 cm

Sink base unit


1 internal panel,
1 continuous front with
centred handle,
without pull-out rails and
drill holes



SPUA 40/45/50/60 cm

Sink base unit


1 fixed panel,
1 front with centred handle,
without pull-out rails and
drill holes




SPUDA-ASK
45/50/60 cm

Sink base unit

Separato-K
1 internal panel,
1 pull-out, 500 mm deep, with
waste separation system
Separato-K
with pull-out lid,
1 x 18 and 2 x 8 litres,
500 mm width: with
1 side organiser,
600 mm width: with
2 side organisers,
1 bio lid (for all widths)



Doors for integrated appliances



GSB 45/60 cm

Door


for integrated
dishwashers,
without handle



GSBD*-I 45/60 cm

Continuous door

for fully integrated
dishwashers,
built-under fridge and
freezer units
with pull-outs



GSB*-I 45/60 cm

Pinned door


for fully integrated
dishwashers,
built-under fridge and
freezer units
with pull-outs

Base units in XL height

Carcase depth: 561 mm
Carcase height: 792 mm
Plinth height: 70, 100, 150 or 200 mm




XL Base units




XL Base unit
1 continuous door,
2 shelves

UD*-X 20/30/40/45/50/60 cm




XL Base unit
1 pinned door,
2 shelves

U*-X 20/30/40/45/50/60 cm




XL Base unit
2 continuous doors,
2 shelves

UD*-X 80/90/100/120 cm




XL Base unit
2 pinned doors,
2 shelves

U*-X 80/90/100/120 cm




XL Base unit
1 drawer,
1 door,
1 shelf

US*-X 30/40/45/50/60 cm




XL Base unit
2 drawers,
2 doors,
1 shelf

US*-X 80/90/100/120 cm




XL Base unit
1 drawer,
2 doors,
1 shelf

USG*-X 80/90/100/120 cm



XL Pull-out unit
1 drawer,
2 pull-outs

UA*-X 30/40/45/50/60/80/90/100/120 cm




XL Drawer unit
3 drawers,
1 pull-out

U3SA*-X 30/40/45/50/60/80/90/100/120 cm



XL Pull-out unit
1 pull-out,
1 continuous front,
2 hanging baskets with
wooden bottoms


UAMD*-X 20/30 cm



XL Open shelf base unit
2 fixed shelves,
side depth: 575 mm


UR*-X 15/20/30/40/45/50/60 cm

XL Corner base units




XL Corner base unit
2 continuous doors,
opening angle: 165°,
2 shelves

UDTE*-X 80/90 cm




XL Corner base unit
2 pinned doors,
opening angle: 165°,
2 shelves

UTE*-X 80/90 cm




**XL Corner base unit
as carousel unit**
2 continuous fronts,
Unit height: 822 mm,
1 revolving carousel with
2 wooden shelves and
metal railing,
rotates 360°
height adjustable top shelf

UEDK*-X 80/90 cm




**XL Corner base unit
as carousel unit**
2 pinned fronts,
Unit height: 822 mm,
1 revolving carousel with
2 wooden shelves and
metal railing,
rotates 360°
height adjustable top shelf

UEK*-X 80/90 cm



**XL Chamfered corner base
unit**
1 continuous door,
2 shelves


UED*-X 80/90 cm



**XL Chamfered corner base
unit**
1 pinned door,
2 shelves


UE*-X 80/90 cm

XL Half-corner units




XL Corner base unit
1 continuous door,
2 shelves,
1 angle filler
Carcase widths: 900, 1000 mm
Planning dimensions:
650 - 750 x ...
UED90-40-X...x 1050-1150 mm
UED90-45-X...x 1100-1200 mm
UED100-50-X...x 1150-1250 mm
UED100-60-X...x 1250-1350 mm

UED90-40-X
UED90-45-X
UED100-50-X
UED100-60-X




XL Corner base unit
1 drawer,
1 door,
1 shelf,
1 angle filler
Carcase widths: 900, 1000 mm
Planning dimensions:
650 - 750 x ...
UED90-40-X...x 1050-1150 mm
UED90-45-X...x 1100-1200 mm
UED100-50-X...x 1150-1250 mm
UED100-60-X...x 1250-1350 mm

UE90-40-X
UE90-45-X
UE100-50-X
UE100-60-X




**XL Corner unit with
swivel pull-out**
1 continuous door,
2 wooden swivel tablars
with metal railing,
height adjustable,
1 angle filler
Carcase widths: 900, 1000 mm
Planning dimensions:
650 - 750 x ...
UE*90-45-X...x 1100-1200 mm
UE*100-50-X...x 1150-1250 mm
UE*100-60-X...x 1250-1350 mm

UEDSA90-45-X
UEDSA100-50-X
UEDSA100-60-X




**XL Corner unit with
swivel pull-out**
1 drawer,
1 door,
2 wooden swivel tablars
with metal railing,
height adjustable,
1 angle filler
Carcase widths: 900, 1000 mm
Planning dimensions:
650 - 750 x ...
UE*90-45-X...x 1100-1200 mm
UE*100-50-X...x 1150-1250 mm
UE*100-60-X...x 1250-1350 mm

UESA90-45-X
UESA100-50-X
UESA100-60-X



**XL Corner unit with
swivel pull-out**
1 pinned door,
2 wooden swivel tablars
with metal railing,
height adjustable,
1 angle filler
Carcase widths:
900, 1000 mm
Planning dimensions:
650 - 750 x ...
UE*90-45-X...x 1100-1200 mm
UE*100-50-X...x 1150-1250 mm
UE*100-60-X...x 1250-1350 mm

UESAV90-45-X
UESAV100-50-X
UESAV100-60-X



**Surcharge for recessed
fillers**
for fillers and half corner
units, side section of
carcase material,
in carcase height,
carcase depth: 561 mm


MP-GS

Base units in XL height

Carcase depth: 561 mm
Carcase height: 792 mm
Plinth height: 70, 100, 150 or 200 mm




XL Angle fillers



UPE-X
UPE-V-X

XL Angle filler
Continuous front material,
70 x 70 mm, Planning
dimensions: 650 x 650 mm

as above, however **variable**
from 50 to 170 mm, Planning
dimensions: 630 - 750 mm
1st dimension = left
2nd dimension = right




MP-GS

Surcharge for recessed fillers


for fillers and half corner
units, side section of
carcase material,
in carcase height,
carcase depth: 561 mm

XL Fillers / Panelling




UPK*-X 10/20 cm

XL Filler
Carcase material,
792 mm high,
U-shaped seal for
connection to wall,
width: 100/200 mm




UPD*-X 20 cm

XL Front filler
Continuous front material,
width: 200 mm




RK-79

Base unit back panel
16 mm thick,
720 mm high,
width: 250 - 2000 mm,
available in all carcase and
worktop décors from décor
group 1,
Vario clip fastening,
in case of reproduction
finishes vertical wood grain



RKS-79

as above, however,
continuous height,
including floor profile:
70 mm plinth height:
882 mm
100 mm plinth height:
912 mm
150 mm plinth height:
962 mm
200 mm plinth height:
1012 mm



RFD*-79
30/40/45/50/60 cm


XL Base unit back panel
1 continuous front,
789 mm high,
Vario clip fastening,
without drill holes

XL Cooker housings




HUB-X 60 cm

XL Cooker housing
1 fixed panel,
aperture dimension: 595 mm



HUS*-X 60 cm

XL Cooker housing
1 plastic drawer,
16 l capacity,
interior dimensions:
485 x 480 x 68 mm
aperture dimension: 595 mm



HUG-X 60 cm

XL Cooker housing
1 large-capacity drawer
with second level for baking
trays, plastic, 30 l capacity,
interior dimensions:
480 x 380 x 150 mm,
aperture dimension: 595 mm

XL Hot plate units




K60-X 60 cm

XL Hot plate unit
1 fixed panel,
1 construction shelf for heat
insulation,
1 door,
1 shelf



KS60-X 60 cm


XL Hot plate unit
1 drawer,
1 spacer shelf for hot plate,
1 door,
1 shelf



KS2A*-X
60/80/90/100/120 cm


XL Hot plate unit
1 drawer,
1 spacer shelf for hot plate,
2 pull-outs

XL-Doors for integrated appliances



GSBD*-I-X 45/60 cm


Continuous XL door
for fully integrated
dishwashers,
built-under fridge and
freezer units
with pull-outs,
includes spacer strip



GSB*-I-X 45/60 cm


Pinned XL door
for fully integrated
dishwashers,
built-under fridge and
freezer units
with pull-outs,
includes spacer strip

XL Sink base units




SPUD*-X 40/45/50/60 cm

XL Sink base unit
1 internal panel,
1 continuous door




SPU*-X 40/45/50/60 cm

XL Sink base unit
1 fixed panel,
1 door




SPUD*-X 80/90/100/120 cm

XL Sink base unit
1 internal panel,
2 continuous doors




SPU*-X 80/90/100/120 cm

XL Sink base unit
2 fixed panels,
2 doors



SPUD*-X
40/45/50/60 cm

XL Sink base unit
1 internal panel,
1 continuous front with
centred handle,
without pull-out rails and
drill holes





SPUA*-X 40/45/50/60 cm

XL Sink base unit
1 fixed panel,
1 front with centred handle,
without pull-out rails and
drill holes



SPUDA-ASK*-X
45/50/60 cm


XL Sink unit Separato-K
1 internal panel,
1 pull-out, 500 mm deep, with
waste separation system
Separato-K
with pull-out lid,
1 x 18 and 2 x 8 litres,
500 mm width: with
1 side organiser,
600 mm width: with
2 side organisers,
1 bio lid (for all widths)



SPUA-ASK*-X
45/50/60 cm


XL Sink unit Separato-K
1 fixed panel,
1 pull-out, 500 mm deep, with
waste separation system
Separato-K
with pull-out lid,
1 x 18 and 2 x 8 litres,
500 mm width: with
1 side organiser,
600 mm width: with
2 side organisers,
1 bio lid (for all widths)

Worktops



APN
60/70/80/90/100/
110/120 cm


Worktop APN with N-edge
rounded front edge,
sides sealed with straight
décor edge.
Price per running 100 mm,
every 100 mm started will
be invoiced.
Maximum 5100 mm wide.
Please quote the décor
number in your order.



APD
60/70/80/90/100/
110/117 cm


Worktop APD with décor edge
front and side edges coated
with straight décor edging
material, 1.5 mm thick.
Price per running 100 mm,
every 100 mm started will
be invoiced.
Maximum 5100 mm wide.
Please quote the décor and
edge colour number in your
order.

Worktop processing



AP-R

**Surcharge for exterior and
interior roundings deviating
from the standard radii on
worktops**



**APN-A
APN-AS
APD-A**

**Surcharge for chamfered
cuts**
on worktops and tables,
including edging



AP-NF

Tongue and groove joint
for worktop corners or
extensions,
incl. screw fittings,
tongues and water resistant
glue



AP-AUS

**Cut-outs for built in hobs,
sinks or ventilation grills**



AP-IEK

**Surcharge for inner
corners in square design**
on worktops and tables with
décor edge

Niche cladding



**NV 52
NV 70**

Niche cladding
coated on both faces,
16 mm thick,
horizontal structure
**(except 273 Carrara marble
reproduction,
274 Teramo marble
reproduction)**
with edge on all sides,
width: 250 - 2580 mm
heights:
NV52 for niches beneath
wall units
NV70 for niches beneath
cooker hoods

Price per started 100 mm.

NV 203

Niche cladding as above,
**however with deviating
dimensions acc. to sketch**
max. 2580 mm wide,
2030 mm high,
**1st dimension in direction
of grain**
coated edge all round.
Minimum price: 0.5 m²,
minimum dimensions:
250 x 200 mm,
invoiced per m².

Accessories for niche cladding




NPUK 500

**Plastic cover profile in
translucent appearance**
for niche or back panel
cladding,
16 mm thick,
self-adhesive,
5000 mm long



NKPU 200 / 400

**Aluminium profile, 2-piece
with sealing profile**
for niche and back panel
cladding or as upstand,
dimensions:
17 mm high, 20 mm deep
Available in:
014 Stainless steel
appearance,
010 Black



NKPO 200 / 400

**Niche profile on top
aluminium profile,
stainless steel appearance**
for niche cladding incl. 1 set
of end caps (left / right),
dimensions:
16 mm high, 16 mm deep



NKP-Z

NKP accessory bag
matches upstand NKPU
Available in:
014 Stainless steel
appearance,
010 Black




NKP-EK

1 set of end caps
matching aluminium profile
for niche cladding NKPO

Upright panels | Top shelves | Wall shelf units


Upright panels for base units



UWA 16/25/50 mm

Upright at end of run
incl. floor profile in
014 Stainless steel
appearance or
010 Black,
depth: 585 mm

Plinth height 70 mm: 790 mm
Plinth height 100 mm: 820 mm
Plinth height 150 mm: 870 mm
Plinth height 200 mm: 920 mm




UWR 16/25/50 mm

Upright for room designs
depth: 250 to 1170 mm,
edged on both sides,
incl. floor profile in
014 Stainless steel
appearance or
010 Black

Plinth height 70 mm: 790 mm
Plinth height 100 mm: 820 mm
Plinth height 150 mm: 870 mm
Plinth height 200 mm: 920 mm


XL Upright panels for base units



UWA-X 16/25/50 mm

XL Upright at end of run
incl. floor seal in
014 Stainless steel
appearance or
010 Black,
depth: 585 mm

Plinth height 70 mm: 862 mm
Plinth height 100 mm: 892 mm
Plinth height 150 mm: 942 mm
Plinth height 200 mm: 992 mm



UWR-X 16/25/50 mm

XL Upright for room designs
depth: 250 to 1170 mm,
edged on both sides,
incl. floor seal in
014 Stainless steel
appearance or
010 Black


Plinth height 70 mm: 862 mm
Plinth height 100 mm: 892 mm
Plinth height 150 mm: 942 mm
Plinth height 200 mm: 992 mm

Wall shelf units



WB25 30/40/45/50/
60/65/80/90/
100/120 cm

**Plug-in wall shelf,
25 mm thick**
Carcase material,
polymer edging all around,
255 mm deep,
incl. metal plug fitting




VB16 100 cm

**Wall shelf unit with shelf
holders, 16 mm thick**
255 mm deep,
polymer edging all round,
available in widths from
250 mm to 1000 mm,
includes 2 shelf holders
VBH5

VB16 258 cm

Wall shelf unit with shelf
holders as above,
**however available in
widths from 1001 mm to
2580 mm**,
includes 4 shelf holders
VBH5




VB25 100 cm

**Wall shelf unit with shelf
holders, 25 mm thick**
255 mm deep,
polymer edging all round,
available in widths from
250 mm to 1000 mm,
includes 2 shelf holders
VBH5

VB25 258 cm

Wall shelf unit with shelf
holders as above,
**however available in
widths from 1001 mm to
2580 mm**,
includes 4 shelf holders
VBH5



VB50 100 cm

**Wall shelf unit with shelf
holders, 50 mm thick**
255 mm deep,
polymer edging all round,
available in widths from
250 mm to 1000 mm,
includes 2 shelf holders
VBH5

VB50 258 cm


Wall shelf unit with shelf
holders as above,
**however available in
widths from 1001 mm to
2580 mm**,
includes 4 shelf holders
VBH5

Upright panels for wall units




WW 16/25/50 mm -01

**Upright at end of run /
intermediate upright for
wall units,
height 01**
depth: 344 mm,
height: 651 mm



WW 16/25/50 mm -02


**Upright at end of run /
intermediate upright for
wall units,
height 02**
depth: 344 mm,
height: 718 mm



WW 16/25/50 mm -03


**Upright at end of run /
intermediate upright for
wall units,
height 03**
depth: 344 mm,
height: 904 mm

Top shelves




ADB16 35/36/59/90 cm

**Top shelf,
16 mm thick,
for side- or highboard**
coated on both faces,
polymer edged on front
and sides,
length: 250 - 2580 mm



ADB25 35/36/59/90 cm

**Top shelf,
25 mm thick,
for side- or highboard**
coated on both faces,
polymer edged on front
and sides,
length: 250 - 2580 mm



ADB50 35/36/59/90 cm


**Top shelf,
50 mm thick,
for side- or highboard**
coated on both faces,
polymer edged on front
and sides,
length: 250 - 2580 mm



Highboards – 1555 / 1585 / 1635 / 1685 mm high

Carcase depth: 561 mm
Carcase height: 1485 mm
Plinth height: 70, 100, 150 oder 200 mm

Highboards




Highboard

2 doors,
1 fixed shelf,
3 shelves

H 30/40/50/60 cm

Housing for ovens




Oven housing

aperture height: 590 mm
1 fixed panel,
1 drawer,
1 door,
1 shelf

GOS


Integrated appliance housings with aperture height up to 880 mm



Appliance housing for
integrated fridge
aperture height: 880 mm
1 appliance door,
2 pull-outs

G88A


Integrated appliance housings with aperture height up to 1230 mm



Appliance housing for
integrated fridge
aperture height: 1230 mm
1 appliance door,
1 pull-out

G123A


Appliance housings with aperture height up to 1450 mm



Appliance housing for
integrated fridge / freezer
aperture height: 1450 mm
for Progress PKG 1443 / 1446 and
AEG SCB41411 LS / 51421 LS
2 appliance doors,
bottom shelf made of 2 mm sheet steel

G145S

Fillers



Filler

Carcase material,
1485 mm high,
U-shaped seal for
connection to wall
width: 230 mm


HPK 20 cm

XL Highboards – 1654 / 1684 / 1734 / 1784 mm high

Carcase depth: 561 mm
Carcase height: 1584 mm
Plinth height: 70, 100, 150 oder 200 mm



XL Highboards




XL Highboard

2 doors,
1 fixed shelf,
3 shelves

H*-X 30/40/50/60 cm

XL Housing for ovens




XL Oven housing

aperture height: 590 mm
1 fixed panel,
1 drawer,
1 door,
2 shelves

GDOS-X


XL Integrated appliance housings with aperture height up to 880 mm



XL Appliance housing for
integrated fridge
aperture height: 880 mm
1 appliance door,
2 pull-outs

G88A-X


XL Integrated appliance housings with aperture height up to 1230 mm



XL Appliance housing for
integrated fridge
aperture height: 1230 mm
1 appliance door,
1 pull-out

G123A-X


XL Appliance housings with aperture height up to 1450 mm



XL Appliance housing for
integrated fridge / freezer
aperture height: 1450 mm
2 appliance doors

G145-X

XL Fillers



XL Filler

Carcase material,
1584 mm high,
U-shaped seal for
connection to wall,
width: 230 mm

HPK20-X 20 cm

Tall units, height 01 – 2000 / 2030 / 2080 / 2130 mm high


Carcase depth: 561 mm
Carcase height: 1930 mm
Plinth height: 70, 100, 150 oder 200 mm

Tall units



Pantry unit
2 doors,
1 fixed shelf,
4 shelves

1354
573
H*-01 30/40/50/60 cm



Pantry unit
2 doors,
1 fixed shelf,
4 shelves

1210
717
HDV*-01 30/40/50/60 cm



Larder unit
1 pull-out with
cushioned opening and
closing SoftStoppPro,
5 hanging baskets with
wooden bottoms and
metal railing, adjustable

1354
573
HA*-01 30/40 cm




Larder unit
1 pull-out with
cushioned opening and
closing SoftStoppPro,
5 hanging baskets with
wooden bottoms and
metal railing, adjustable

1210
717
HDA*-01 30/40 cm



Broom cupboard
1 lug connected door,
1 fixed shelf,
1 system grid,
2 baskets for cleaning
materials,
1 system shelf,
1 hose rack for vacuum
cleaner, 2 pegboards


1354
573
HB*-01 40/50/60 cm



Tall unit
1 lug connected door,
5 internal pull-outs,
1 fixed shelf


1354
573
HI*-01 40/50/60 cm

Housing for ovens, microwaves, steam cookers, compact appliances




Oven housing
aperture height: 590 mm
2 doors,
2 shelves

608
717
GO-01




Oven housing
aperture height: 590 mm
1 door,
1 drawer,
1 door,
2 shelves

608
141
573
GOS-01




Oven housing
aperture height: 590 mm
1 door,
1 shelf,
1 drawer,
2 pull-outs

608
141
285
285
GOS2A-01




**Appliance housing for
oven and microwave with
lifting door**
aperture height: 370 mm
aperture height: 590 mm
1 flap,
1 lifting door,
1 door,
1 shelf

285
448
573
GLO-01



**Appliance housing for
oven and microwave with
lifting door**
aperture height: 370 mm
aperture height: 590 mm
1 flap,
1 lifting door,
2 pull-outs


285
448
285
285
GLO2A-01



**Appliance housing for
microwave and
steam oven /
compact appliances**
aperture height: 380 mm
aperture height: 450 mm
2 doors,
2 shelves


487
573
GMDK-01

Appliance housings with aperture height up to 880 mm




**Appliance housing for
integrated fridge**
aperture height: 880 mm
1 door,
1 appliance door,
1 door,
1 shelf

448
903
573
G88-01



**Appliance housing for
integrated fridge**
aperture height: 880 mm
1 appliance door,
1 door,
1 shelf


1210
717
GD88-01



**Appliance housing for
integrated fridge**
aperture height: 880 mm
1 door,
1 appliance door,
2 pull-outs


448
903
285
285
G88A-01

Appliance housings with aperture height up to 1230 mm




**Appliance housing for
integrated fridge**
aperture height: 1230 mm
1 appliance door,
1 internal panel,
1 door,
1 shelf

1354
573
G123-01



**Appliance housing for
integrated fridge**
aperture height: 1230 mm
1 door,
1 appliance door,
1 pull-out

448
1242
234
G123A-01





**Appliance housing for
integrated fridge / freezer**
aperture height: 1230 mm
1 door,
1 internal panel,
1 appliance door for
freezer compartment,
1 appliance door for
fridge section

448
448
1024
G123G-01



Tall units, height 01 – 2000 / 2030 / 2080 / 2130 mm high

Carcase depth: 561 mm
Carcase height: 1930 mm
Plinth height: 70, 100, 150 oder 200 mm


Appliance housings with aperture height up to 1450 mm



Fillers / Cladding







Appliance housings with aperture height between 1580 -1890 mm






Tall units, height 02 – 2067 / 2097 / 2147 / 2197 mm high

Carcase depth: 561 mm
Carcase height: 1997 mm
Plinth height: 70, 100, 150 oder 200 mm




Tall units






Appliance housing for ovens, microwaves, steam cookers, compact appliances



Appliance housings with aperture height up to 880 mm





Appliance housings with aperture height up to 1230 mm





Tall units, height 02 – 2067 / 2097 / 2147 / 2197 mm high

Carcase depth: 561 mm
Carcase height: 1997 mm
Plinth height: 70, 100, 150 oder 200 mm

Appliance housings with aperture height up to 1450 mm



Fillers / Cladding



Appliance housings with aperture height between 1580 - 1890 mm






Tall units in XL height, height 02 XL – 2139 / 2169 / 2219 / 2269 mm high





Carcase depth: 561 mm
Carcase height: 2069 mm
Plinth height: 70, 100, 150 oder 200 mm






XL Tall units






XL Appliance housing for ovens, micro-waves, steam cookers, compact appliances



XL Appliance housings with aperture height up to 880 mm



XL Appliance housings with aperture height up to 1230 mm





Tall units in XL height, height 02 XL – 2139 / 2169 / 2219 / 2269 mm high



Carcase depth: 561 mm
Carcase height: 2069 mm
Plinth height: 70, 100, 150 oder 200 mm



XL Appliance housings with aperture height up to 1450 mm



XL Fillers / Cladding







XL Appliance housings with aperture height between 1580 - 1890 mm







Tall units in XL height, height 03 – 2253 / 2283 / 2333 / 2383 mm high

Carcase depth: 561 mm
Carcase height: 2183 mm
Plinth height: 70, 100, 150 oder 200 mm




Tall units






Appliance housing for ovens, microwaves, steam cookers, compact appliances



Appliance housings with aperture height up to 880 mm





Appliance housings with aperture height up to 1230 mm





Tall units, height 03 – 2253 / 2283 / 2333 / 2383 mm high

Carcase depth: 561 mm
Carcase height: 2183 mm
Plinth height: 70, 100, 150 oder 200 mm


Appliance housings with aperture height up to 1450 mm



Fillers / Cladding




Appliance housings with aperture height between 1580 - 1890 mm



Wall units, 359 mm high

Carcase depth: 320 mm
Carcase height: 359 mm


Wall units 359 mm high



W*-36
45/50/60 cm

Wall unit
1 door

Also available with:
Color Concept fronts



WK*-36
45/50/60/80/90/100/
120 cm

Wall unit with flap door
1 flap,
opening angle 107°

Also available with:
Color Concept fronts



WKG*-36
50/60/80/90/100/
120 cm

Wall unit with framed glass flap door
1 framed glass flap door,
clear glass No. 01,
opening angle 107°,
glass variations for a
surcharge: No. 02 / 39

Also available with:
Color Concept fronts

o. Abb.

MP-GW

Surcharge for different glass choice
for glass variants:
No. 02 Matt glass
No. 39 Black glass

Wall units 359 mm high



WKSQ*-36
50/60/80/90/100/
120 cm

Wall unit with glass doors Square

1 aluminium framed flap,
opening angle 107°,
handleless version with wall
unit bottom shelf with
attached profile strip in
stainless steel appearance

Available in:

No. 321 Aluminium framed
front in stainless steel
appearance with
02 Matt glass
No. 308 Aluminium framed
front in stainless steel
appearance with
035 Grey glass
No. 329 Aluminium framed
front in Black with
39 Black glass



WKGp*-36
50/60/80/90/100/
120 cm

Wall unit with glass doors Gap

1 flap, glass front on MDF
board with light cut-out,
polymer edge in front colour
all round, opening angle 107°,
handleless version with wall
unit bottom shelf with
attached profile strip in
stainless steel appearance

Available in:

No. 072 Alpine white matt
No. 041 Black matt
No. 085 Alpine white high gloss
No. 053 Black high gloss


Fillers



WPK*-36
10/20 cm

Filler

Carcase material,
359 mm high,
U-shaped seal for
connection to wall
width: 100/200 mm



WPD20-36
20 cm

Front filler

Continuous front material,
2 shelves top and bottom,
1 wall unit side panel:
320 mm deep,
width: 200 mm


Also available with:
Color Concept fronts




Wall units, height 01 – 651 mm high

Carcase depth: 320 mm
Carcase height: 651 mm


Wall units 651 mm high




W*-01
25/30/40/45/50/55/60 cm



W2T-01 60 cm
W*-01 80/90/100/120 cm



W2TP-01
80/90/100/120 cm



WG*-01
45/50/60 cm



WG*-01
90/100/120 cm



WGL*-01
45/50/60 cm




WGL*-01
90/100/120 cm

o. Abb.

MP-GW

Surcharge for different glass choice
for glass variants:
No. 02 Matt glass
No. 39 Black glass




WF*-01
45/50/60 cm


Wall unit Flat with glass doors
1 aluminium framed door,
2 glass shelves,
handleless version with
wall unit bottom shelf with
attached profile strip in
stainless steel appearance

Available in:
No. 431 Aluminium framed
front in Alpine white with
02 Matt glass
No. 434 Aluminium framed
front in Slate grey with
035 Grey glass No. 438
Aluminium framed front
in Black with 39 Black glass


Wall units 651 mm high




WKSF*-01
50/60/80/90 cm




WKSF*-01
50/60/80/90 cm



WM*-01
50/60 cm



WED*-01
60 cm




WE*-01
60/65/80/90 cm



WE60-25-01
WE80-40-01
WE90-50-01

Carcase widths:
600 mm - door width: 244 mm
782 mm - door width: 394 mm
882 mm - door width: 494 mm

Planning dimensions:
400 - 500 x ...
WE60-25: x 650 - 750 mm
WE80-40: x 800 - 900 mm
WE90-50: x 900 - 1000 mm




WR*-01
15/20/30/40/45/50/60 cm



WRF15-01
15 cm


Fillers



WPK*-01
10/20 cm

Filler

Carcase material,
651 mm high,
U-shaped seal for
connection to wall
width: 100/200 mm



WPD20-01
20 cm


Front filler

Continuous front material,
2 shelves top and bottom,
1 wall unit side panel:
320 mm deep,
width: 200 mm

Wall units, height 02 – 718 mm high

Carcase depth: 320 mm
Carcase height: 718 mm

Wall units 718 mm high



717
W*-02
25/30/40/45/50/55/60 cm

Wall unit
1 door,
2 shelf
Also available with:
Color Concept fronts




717
W2T-02 60 cm
W*-02 80/90/100 cm

Wall unit
2 doors,
2 shelves
Also available with:
Color Concept fronts




717
W2TP*-02
80/90/100 cm

Wall unit
2 doors hinged
parallel,
2 shelves
Also available with:
Color Concept fronts




717
WG*-02
45/50/60 cm

**Wall unit,
framed glass door**
1 door,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39
Also available with:
Color Concept fronts



717
WG*-02
90/100 cm

**Wall unit,
framed glass doors**
2 doors,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39
Also available with:
Color Concept fronts



717
WGL*-02
45/50/60 cm

**Wall unit,
pilaster glass door**
1 door,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39



717
WGL*-02
90/100 cm

**Wall unit,
pilaster glass doors**
2 doors,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39



357
717
WGLS*-02
45/50/60 cm

**Wall unit,
segmented glass door**
1 door,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39
Also available with:
Color Concept fronts

Wall units 718 mm high




357
141
WGLS-02
90/100 cm

**Wall unit, segmented
glass doors**
2 doors,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

Also available with:
Color Concept fronts

**o. Abb.
MP-GW**


**Surcharge for different
glass choice**
for glass variants:
No. 02 Matt glass
No. 39 Black glass



357
357
WFL*-02
50/60/80/90/100/120 cm

**Wall unit, folding/lifting
door**
1 folding/lifting door,
2 original fronts,
2 shelves

Also available with:
Color Concept fronts



357
357
WFLG*-02
50/60/80/90/100/120 cm

Wall unit, folding/lifting door
1 folding/lifting door,
1 top original front,
1 bottom framed glass front,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

Also available with:
Color Concept fronts



VAR
WM*-02
50/60 cm


Wall unit for microwave
1 aperture
depending on appliance
height,
1 flap
as niche compensation

Also available with:
Color Concept fronts



717
WED60-02
60 cm

**Corner wall unit,
diagonal**
1 door: 367 mm wide,
opening angle 90°,
2 shelves




717
WE*-02
60/65/80/90 cm

Corner wall unit
2 doors
with 165° hinges,
2 shelves,
hinged side = first
door to be opened

Also available with:
Color Concept fronts

Wall units 718 mm high



717
WE60-25-02
WE80-40-02
WE90-50-02

Corner wall unit
1 door,
1 angle filler,
2 shelves
Carcase widths:
600 mm - door width: 244 mm
782 mm - door width: 394 mm
882 mm - door width: 494 mm

Planning dimensions:
400 - 500 x ...
WE60-25: x 650 - 750 mm
WE80-40: x 800 - 900 mm
WE90-50: x 900 - 1000 mm

Also available with:
Color Concept fronts



WR*-02
15/20/30/40/45/50/60 cm


Open shelf wall unit
2 fixed shelves,
side depth: 335 mm



WRF15-02
15 cm


Wall unit as bottle rack
4 fixed shelves,
side depth: 335 mm

Fillers



WPK*-02
10/20 cm

Filler
Carcase material,
718 mm high,
U-shaped seal for
connection to wall



717
WPD20-02
20 cm

Front filler
Continuous front material,
2 shelves top and bottom,
1 wall unit side panel:
320 mm deep,
width: 200 mm

Also available with:
Color Concept fronts

Wall units, height 03 – 904 mm high

Carcase depth: 320 mm
Carcase height: 904 mm

Wall units 904 mm high



Wall unit
1 door,
2 shelves

903

W*-03
25/30/40/45/50/55/60 cm



Wall unit
2 doors,
2 shelves

903

W2T*-03 60 cm
W*-03 80/90/100 cm



Wall unit
2 doors hinged
parallel,
2 shelves

903


W2TP*-03
80/90/100 cm



**Wall unit,
framed glass door**
1 door,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

903

WG*-03
45/50/60 cm



**Wall unit,
framed glass doors**
2 doors,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

903

WG*-03
90/100 cm



**Wall unit,
pilaster glass door**
1 door,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

903

WGL*-03
45/50/60 cm



**Wall unit,
pilaster glass doors**
2 doors,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

903

WGL*-03
90/100 cm



**Wall unit,
segmented glass door**
1 door,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

357

WGLS*-03
45/50/60 cm



**Wall unit,
segmented glass doors**
2 doors,
clear glass No. 01,
2 glass shelves,
glass variations for a
surcharge: No. 02 / 39

357


WGLS*-03
90/100 cm

o. Abb.

MP-GW

**Surcharge for different
glass choice**
for glass variants:
No. 02 Matt glass
No. 39 Black glass


Wall units 904 mm high



Wall unit for microwave
1 aperture
depending on appliance
height,
1 door as niche compensation,
1 shelf

VAR


WM*-03
50/60 cm



**Corner wall unit,
diagonal**
1 door, 367 mm wide,
opening angle 90°,
2 shelves

903


WED60-03
60 cm



Corner wall unit
2 doors
with 165° hinges,
2 shelves,
hinged side = first
door to be opened

903

WE*-03
60/65/80/90 cm




Corner wall unit
1 door,
1 angle filler,
2 shelves
Carcase widths:
600 mm - door width: 244 mm
782 mm - door width: 394 mm
882 mm - door width: 494 mm

903

WE60-25-03
WE80-40-03
WE90-50-03


Planning dimensions:
400 - 500 x ...
WE60-25: x 650 - 750 mm
WE80-40: x 800 - 900 mm
WE90-50: x 900 - 1000 mm



Open shelf wall unit
2 fixed shelves,
side depth: 335 mm

903

WR*-03
15/20/30/40/45/50/60 cm




Wall unit as bottle rack
5 fixed shelves,
side depth: 335 mm,
width: 150 mm

903

WRF15-03
15 cm

Fillers



Filler
Carcass material,
904 mm high,
U-shaped seal for
connection to wall,
width: 100 mm / 200 mm

903

WPK*-03
10/20 cm




Front filler
Continuous front material,
2 shelves top and bottom,
1 wall unit side panel:
320 mm deep,
width: 200 mm

903

WPD20-03
20 cm

Wall units for cooker hoods

Wall units for cooker hoods



**Wall unit for
slimline cooker hoods**
internal panel,
metal grids,
80 mm deep

WDAF-57 60 cm

height: 573 mm / 1 grid

WDAF-01 60 cm

height: 651 mm / 2 grids


WDAF-02 60 cm

height: 718 mm / 2 grids

WDAF-03 60 cm

height: 904 mm / 3 grids

Bridging shelf



WZB260

**Bridging shelf in
carcase material**
laminated on both faces in
the same colour,
16 mm thick,
320 mm deep,
with edging material on
3 sides,
for fitting between wall units
or as a window bridging.
Price per running 100 mm,
invoiced per started 100 mm.
Width: 250 - 2580 mm

WZB60


Bridging shelf in carcass
material as above,
however 600 mm wide

Plastic cutlery trays and pull-out organisers




Cutlery tray Trend
grey, height: 43 mm,
fits drawer depth of 500 mm,
side depth 561 mm

BE*
30/40/45/50/60/80/
90/100/120 cm




BE* -46
45/50/60/80/90/
100/120 cm

as above, however for drawer depth 400 mm,
side depth 461 mm




Cutlery tray Move
silver-grey, with dividers for customisable divisions,
height: 47 mm,
fits drawer depth of 500 mm,
side depth 561 mm

BE* M
30/40/45/50/60/80/
90/100/120 cm



BE* -46 M
45/50/60/80/90/
100/120 cm

as above, however for drawer depth 400 mm,
side depth 461 mm



Universal organiser
Alu profile with 4 dividers for individualised divisions,
fits pull-out depth of 500 mm, side depth: 561 mm,
1 alu profile of 600 mm width,
2 alu profiles of 800 up to 900 mm width,
3 alu profiles of 1000 up to 1200 mm width

AUO 56


AUO 46

as above, however for drawer depth 400 mm,
side depth 461 mm




Cutlery tray Concept
anthracite, height: 52 mm, fits drawer depth of 500 mm,
side depth: 561 mm

BE* C
30/40/45/50/60/80/
90/100/120 cm



Pull-out organisation concept
anthracite, height: 100 mm, fits pull-out depth of 500 mm,
side depth: 561 mm

AO* C
60/80/90/100/120 cm



Accessories

Beech cutlery trays and pull-out organisers




Beech wood cutlery tray

solid beech wood,
height: 56 mm, fits drawer depth of 500 mm,
side depth 561 mm

BE* H

30/40/45/50/60/80/
90/100/120 cm



Beech wood universal organiser

with solid wood partitions for individualised divisions,
fits pull-out depth 500 mm,
side depth 561 mm,
incl. 7 solid wood partitions in beech for 600 mm width,
incl. 10 solid wood partitions in beech for 800 / 900 / 1000 mm width,
incl. 13 solid wood partitions in beech for 1200 mm width

AOS* H

60/80/90/100/120 cm

Oak cutlery trays and pull-out organisers




Oak wooden segment cutlery tray

solid wood design in oak,
with anti-slip mat in anthracite,
height: 55 mm, segment width: 274 mm,
fits drawer depth of 500 mm,
side depth: 561 mm,
one wooden segment is delivered up to a width of 600 mm,
for widths exceeding 800 mm, two wooden segments are delivered

BEHS *E

40/45/50/60/80/90/
100/120 cm



Universal organiser, oak

with solid wood partitions for individualised divisions,
fits pull-out depth 500 mm,
side depth: 561 mm,
incl. 7 solid wood partitions in oak for 600 mm width,
incl. 10 solid wood partitions in oak for 800 / 900 / 1000 mm width,
incl. 13 solid wood partitions in oak for 1200 mm width

AOS* E

60/80/90/100/120 cm

Accessories

Mounting sets



MONSET 1

Mounting set 1

consisting of:

- 1 ball siphon 1 ½" with 40 mm drain white
- 1 space-saving connector white
- 1 HT bend DN 40/87 grey
- 1 HT tube DN 40 x 250 mm grey
- 1 HT transition element DN 40/50 mm grey
- 1 cooker connection cable, 5 x 2.5 mm², 2000 mm long
- 2 flex hoses acc. to KTW-A, 300 mm long, 3/8" x 10 mm with union nut



MONSET 2

Mounting set 2

consisting of:

- 1 ball siphon 1 ½" with 40 mm drain white
- 1 space-saving connector white
- 1 HT bend DN 40/87 grey
- 1 HT tube DN 40 x 250 mm grey
- 1 HT transition element DN 40/50 mm grey
- 1 cooker connection cable, 5 x 2.5 mm², 2000 mm long
- 2 flex hoses acc. to KTW-A, 300 mm long, 3/8" x 10 mm with union nut
- 1 hose clip, 16 - 25mm
- 1 table socket, triple, sockets - model F, with contact protection, white with 1500 mm supply line, 3 x 1.5 mm²

Upstands



WAP
200/400/500 cm

Plastic upstand

Top section with sealing lips, dimensions: 25 mm high, 25 mm deep, **delivered as strand material.**

Available in all worktop décors, **also available in:**
No. 014 Stainless steel appearance



WAP-Z

WAP accessory bag

matches the plastic upstands WAPN

consisting of:

- 4 x interior corner 90°
- 2 x interior corner 135°
- 2 x exterior corner 90°
- 2 x set of end caps




WAPN
200/400/500 cm

Upstands for continuous planning with niche cladding

2-piece plastic profile with sealing lip, incl. vertical sealing profile dimensions: 25 mm high, 25 mm deep, **delivered as strand material.**

Available in:
014 Stainless steel appearance, 010 Black



WAPN-Z

WAPN accessory bag


matches the plastic upstands WAPN

consisting of:


- 4 x interior corner 90° / 2 x interior corner 135°
- 2 x exterior corner 90°
- 2 x set of end caps for WAPN
- 2 x set of end caps for niche cladding

Available in:
014 Stainless steel appearance, 010 Black


Height grid, carcass heights




Height grid, XL carcass heights




Height grid, standard door dimensions




Height grid, XL door dimensions




Height grid, tall units




Tall unit height H-01



Tall unit height H-02




Tall unit height H-02 XL



Tall unit height H-03

Dimensional drawings for upright panels

Uprights at end of run for base units, sideboards and tall units are supplied as standard with an upright panel shoe.
The upright panel shoe is included in the price of the upright panel and is available in: 014 Stainless steel appearance, 010 Black.
If no colour is specified in the order, the version 014 Stainless steel appearance will automatically be supplied.



The height of the upright panel is reduced by the interior height dimensions of the profile and thus calculated as follows:

$$\begin{aligned} &\text{carcase height} \\ &+ \text{plinth height} \\ &\text{less } 8 \text{ mm interior chamfering of the floor profile} \\ &= \text{upright panel height} \end{aligned}$$

Ordering correctly

Necessary Order Information

Complete and accurate data is absolutely necessary for the processing and production of your order, since an accurate and clear order allows us to immediately begin processing your order without time-consuming enquiries.

For this reason, your order must contain the following information:

- Range name and front number
- Handle number
- Drill pattern number
- Carcase colour number
- Plinth height and colour
(if not specified, the standard plinth height of 150 mm will be supplied)
- Worktop design / décor
- Worktop edge design / edge colour
- Worktop sketch with dimensions and indication of tongue and groove joints
- Design of the worktop outer corner (for APD): square or round
- Upright / top shelf design including the colour number and upright thickness / Upright panel floor seal colour
- Shelf colours
- Glass design and / or colour
- Roll-up front colour
- Cornice profile / light pelmet profile including colour for each
- Order number and / or abbreviation
- Manufacturer information and built-in appliance model identification
- Kitchen block number (for kitchen block orders)
- Layout sketch with dimension information in 1:20 ratio
- Please draw / write any special productions in the centre of the layout sketch

